REFERENCES

1., Alexander NJ, Baker E, Kaptein M, Karck U, Miller L, Zampaglione E(2004)., Why consider vaginal drug administration? ,Fertil Steril,82.,1-12.

2., Arnobio A. Silva Junior, Maria VS, Kelly CP,Lucildes PM, Jivaldo RM.(2008).Thermal analysis of biodegradable microparticles containing ciprofloxacin hydrochloride obtained by spray drying technique. ThermochemicaActa, 467., 91-98.

3., Anuragsood, Ramesh panchagnula(1998), Drug release evaluation of Diltiazem controlled Release preparations.Int J Pharm175.,95-107.

4., Alysson Leandro RibeiroRattes, Wanderley Pereira Oliveira(2007),Spray drying conditions and encapsulating composition effects on formation and properties of sodium diclofenacmicroparticles. Powder Technology, 171.,7-14.

5., Basavaraj BV, Deveswaran R, Bharath S, Abraham S, Furtado S, Madhavan V(2008), hollow microspheres of Diclofenac Sodium a gastro retentive controlled delivery system, Pak J Pharm Sci,21(4).,:451-54.

6., Bakan J.A, Anderson J.L. Microencapsulation Part III, through Lachman. L, Lieberman H. A, Kanig J. L (1986), The Theory and Practice of Industrial Pharmacy, Varghese Publishing House, Bombay-14, 2nd edition., 428.

7., Carolina Gomez G, Nicolas Tsapis, Lidia Silva,ClaudieBourgaux, Elias Fattal(2008),Morphology, structure and supramolecular organization of hybrid 1,2-dipalmitoyl-sn-glycero-3-phosphatidylcholine hyaluronic acid microparticles prepared by spray drying.Eu J Pharm Sci 34.,12-21.

8., Chavanpatil M, Jain P, Chaudhari S, Shear R, VaviaP(2005),Development of sustained release gastro retentive drug delivery system for Ofloxacin,Int J Pharm,30.,178-84.

9., David Haris, Robinson JR(1992),Buccal drug delivery via the mucous membranes of the oral cavity, J Pharm Sci,81(1)., 1-9.

10.,Dhiman M, Yedurkar P, Sawant KK.(2008), Formulation, characterization and *in vitro* evaluation of bioadhesive gels containing 5-Fluorouracil, 13(1).,15-25.

11.,Deepaa MK, Karthikeyanb M.(2009),CefpodoximeProxetil floating microspheres formulation and *in vitro* evaluation,Iranian J Pharm Sci 5(2).,9-72.

12.,Erem B, Yasemin C¸ Irpanli, Murat S, LaleDogan A, Sema C. Thermosensitivemucoadhesive gel formulation loaded with 5-Fu: cyclodextrin complex

for HPV-induced cervical cancer. J InclPhenomMacrocycl Chem. DOI 10.1007/s10847-006-9259-y

13.,ElisabettaEsposito , Franco Cervellati , EneaMenegatti ,Claudio Nastruzzi , Rita Cortesi.(2002), Spray dried Eudragitmicroparticles as encapsulation devices for vitamin C, Int J Pharm, 242.,329-334.

14.,Fergany AM, Hussin K. (2003), Preparation and in vitro/in vivo evaluation of the buccalbioadhesive properties of slow-release tablets containing miconazole nitrate. Drug Develop Ind Pharm,29.,321–37.

15.,Gandhi RB, Robinson JR(1994), Oral cavity as a site for bioadhesive drug delivery, Adv Drug Deliv Rev, 13., 43-74.

16.,Giannola LI, De Caro V, Giandalia G, Siragusa MG, Paderni C, Campisi G (2010), 5-Fluorouracil buccal tablets for locoregional chemotherapy of oral squamous cell carcinoma: formulation, drug release and histological effects on reconstituted human oral epithelium and porcine buccal mucosa.Curr Drug Deliv. 7(2).,109-17.

17.,Galandiuk S , Wrightson W, Marr L, Myers S, LaRocca RV(1996),Suppository delivery of 5-fluorouracil in rectal cancer. Ann SurgOncol, 3(3).,270-6.

18.,GlavasDodov M, FredroKumbaradzi E, Goracinova K, Calis S, Simonoska M, Hincal AA.(2003),5-Fluorouracil in topical liposome gels for anticancer treatment – Formulation and evaluation.Acta Pharm, 53.,241–50.

19.,Guerrero S, Teijon C, Muñiz E, Teijon JM , Blanco MD(2010),Characterization and *in vivo* evaluation of ketotifen-loaded chitosan microspheres. Carbohydrate Polymers 30.,88-90.

20.,Hussain A, Ahsan F.(2005), The vagina as a route for systemic drug delivery,J Control Release,103.,301-13.

21.,Jain SK, Singh R, SahuB(1997),Development of a liposome based contraceptive system for intravaginal administration of progesterone. Drug Develop Ind Pharm., 827 -30.

22.,Jain AK, Jain CP, Tanwar YS, Naruka, PS(2009),Formulation characterization and *in vitro* evaluation of microspheres of Famotidine as a gastro retentive dosage form,Asian J Pharm, 3(3).,22-6.

23.,Jain SK, Awasthi AM, Jain NK, Agrawal GP(2005),Calcium silicate based microspheres of Repaglinide for gastro retentive drug delivery: Preparation and *in vitro*characterization,Int J Pharm 107(2).,300-9.

24.,Joseph NJ, Lakshmi S, JayakrishnanA(2009), A floating-type oral dosage form for piroxicam based on hollow polycarbonate microspheres: *in vitro* and *in vivo* evaluation in rabbits, J Cont Release 79.,71-9.

25.,Knuth K, Amiji M, Robinson JR(1993), Hydrogel delivery systems for vaginal and oral applications, Formulation and biological considerations. Adv Drug Deliv Rev,11.,137-167.

26.,Kristmundsdottir T, Gudmundsson O S, Ingvarsdottir K(1996), Release of Diltiazem from Eudragitmicroparticles prepared by spray drying. IntJ Pharm, 137.,159-65.

27.,Kim BK, Hwang S J,ParkJB,Park HJ(2002), Preparation and characterization of drug loaded polymethacrylate microspheres by an emulsion solvent evaporation method. J microencapsulation, 19.,811-22.

28.,Li S, Lin S, Daggy BP, Mirchandani HL, Chien YW(2003), Effect of HPMC and carbopol on the release and floating properties of gastric floating drug delivery system using factorial design,Int J Pharm 253(1-2).,13-22.

29.,Madgulkar A, Kadam S, Pokharkar V. Development of buccal adhesive tablets with prolonged antifungal activity: optimization and ex vivo deposition studies. Ind J Pharm Sci, 71(3).,290-4.

30.,Munish Kumar Dhiman, AnupamaDhiman, KrutikaSawant K.(2009),Transbuccal delivery of 5-fluorouracil: permeation enhancement and pharmacokinetic study. AAPS Pharm SciTech, 10(1).,258-265.

31.,Mehmet LeventKoça, UlküOdemirb, DilekImrenb.(2002),Prediction of the pH and the temperature-dependent swelling behavior of Ca2+-alginate hydrogels by artificial neural networks, Chemical engineering Sciences,63.,2913-19.

32.,Madhavi BB, RavinderNath A, Banji D, Ramalingam1 R, Naga Madhu M, Arjun G., SriharshaV(2009),formulation and evaluation of venlafaxine hcl enclosed in alginate microbeads prepared byiontophoreticgellation method, IJPRD 8.,:1-11.

33.,Muzzarellia C, Stanicc V, Gobbic L, Tosib G, Muzzarellia RA(2004)Spray-drying of solutions containing chitosan together with polyuronans and characterisation of the microspheres, Carbohydrate Polymers 57.,73–82.

34.,Nilofer Yuk sel, TeomanTincer , Tamer Baykara(1996), Interaction between nicardipine hydrochloride and polymeric microspheres for a controlled release system. Int J Pharm, 140., 145-54.

35.,Narendra C, Srinath MS, Balu(2006) Optimization of floating tablet containing Metoprololtartarate as a model drug for gastric retention, AAPS Pham Sci Tech 7(2).,E1-E7.

36.,Owen DH, Katz DF(1999), A vaginal fluid simulant. Contraception. 59.,91-5.

37.,Ofokansi KC, AdikwuMU(2007), Formulation and evaluation of microspheres based on gelatin-mucin admixtures for the rectal delivery of Cefuroxime sodium. Trop J Pharma Res. 6 (4)., 825-32.

38.,Pavelic Z, SkalkoBasnet N, Schubert R(2001),Liposomal gels for vaginal drug delivery. Int J Pharm. 219.,39-49.

39.,Rathbone MJ, Ponchel G, GhazaliFA(1996),Systemic oral mucosal drug delivery and delivery systems,Oral mucosal drug delivery.,241-84.

40.,Rakesh H, Mohit T, Kiran K(2012), A Review on Oral Mucosal Drug Delivery System, Pharm Inno. 1(1)., 14-21.

41.,specific delivery system of 5-Fluorouracil: Statistical optimization, *in vitro*, *in vivo,* cytotoxic and stability assessment. Int J Pharm, 411.,142–51.Rakesh Kumar Dev, Vikas Bali, KamlaPathak.(2011), Novel microbially triggered colon

42.,Rao MR, Borate SG, Thanki KC, Ranpise AA, Parikh GN.(2009), Development and *in vitro* evaluation of Rosiglitazone maleate microspheres, Drug Devind pharmacy 35(7).,834-42.

43.,Shegokar R, Singh K(2010),*In-vitro* release of paracetamol from suppocire suppositories: role of additives. Malay J Pharm Sci, 8(1)., 57–71.

44.,Singh S, Jain S, Muthu MS, TilakR(2008), Preparation and evaluation of buccalbioadhesive tablets containing clotrimazole.Curr Drug Deliv,5.,133-41

45.,Salamat Miller N, Chittchang M, Johnston TP(2005), The use of mucoadhesive polymers in buccal drug delivery, Adv Drug Deliv Rev57(11)., 1666-91.

46.,ShojaeiHA(1998)Buccal mucosa as a route for systemic drug delivery: A Review, J Pharm Sci. 1(1)., 15-30.

47.,Satturwar PM, Mandagode P M(2002),A Novel method for preparation of Eudragit RL microcapsules.J Microencapsulation,19.,407-13

48.,Sahoo SK, Mohapatra S, Dhal SK, Behera BC, Barik BB(2007), Formulation of microspheres of Ciprofloxacin Hydrochloride by crosslinking agent,Ind pharm 6(58),65-8.

49.,Streubel A, Siepmann J, Bodmeier R(2002),Floating matrix tablets based on a low density foam powder: Effects of formulation and processing parameters on drug release,Eur J Pharm Sci241(2).,279-92.

50.,Sawicki W, LunioR(2005), Compressibility of floating pellets with Verapamil hydrochloride coated with dispersion kollicoat SR 30 D,Eur J Pharm Biopharm60(1),153-7.

51.,Sriamornsak P, Thirawong N, Puttipipatkhachorn S(2005),Emulsion gel beads of calcium pectinate capable of floating on the gastric fluid: Effect of some additives, hardening agent or coating on release behaviour of Metronidazole,Eur J Pharm Sci24(4).,363-73.

52.,Tor-ToraGorahowski (1992), Principles of anatomy and physiology,7th ed. Harpet Collins College Publishers., 770-4.

53.,Tarun MK.(2000), Swelling-controlled release system for the vaginal delivery of miconazole. Eur J Pharm Biopharm, 50.,337-43.

54.,Vermani K, GargS(2000),The scope and potential of vaginal drug delivery. Pharm SciTechnolo Today,3.,359-64.

55.,ValentaC(2005),The use of mucoadhesive polymers in vaginal delivery. Adv Drug Deliv Rev.57.,1692-712.

56.,Washington N, Washington C, Wilson CG(2001). Physiological pharmaceutics: barriers to drug absorption. 2nded. London ., Taylor & Francis.

57.,Woolfson AD, McCafferty DF, McCarron PA, Price JH(1995), A bioadhesive patch cervical drug delivery system for the administration of 5-fluorouracil to cervical tissue. J control release, 35.,49-58.

58.,Wang L, Tang X(2008). A novel ketoconazole bioadhesive effervescent tablet for vaginal delivery: Design, in vitro and 'in vivo' evaluation. Int J Pharm, 350.,181–7.

59.,ZsoltMakai, Janos Bajdik, Istvan ,KlaraPintyeHodi(2008),Evaluation of the effects of lactose on the surface properties of alginate coated trandolapril particles prepared by a spray-drying method. Carbohydrate Polymer.,1-5.